Application/Control Number: 10/682,347 Page 2

Art Unit: 1793

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Torrence on June 4, 2008.

In claim 9, line 3, "about" (second occurrence) has been deleted.

In claim 16, line 3, "comprising" has been deleted and -- consisting of -- has been substituted therefor.

In claim 25, line 2, "comprising" has been deleted and -- consisting of -- has been substituted therefor.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wayne Langel whose telephone number is 571-272-1353. The examiner can normally be reached on Monday through Friday, 8 am - 3:30 pm Eastern Time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/682,347 Page 3

Art Unit: 1793

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Wayne Langel/ Primary Examiner, Art Unit 1793